Product Information Sheet

COMMISSION DELEGATED REGULATION(EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Argos

Supplier's address: Sainsbury's Supermarkets Ltd (3261722 England) , registered Offices: 33 Holborn, London, EC1N 2HT

Sainsbury's Argos is a trading name of both:

- 1) Argos Limited, registered office: 489-499 Avebury Boulevard, Milton Keynes, United Kingdom, MK9 2NW, registered number: 01081551 (England and Wales); and
- 2) Sainsbury's Supermarkets Limited, Registered office: 33 Holborn, London, EC1N 2HT, registered number: 03261722 (England and Wales).

Model Identifier: 9592014					
Type of light source:					
Lighting technology used:	LED	Non-directional or directional:	Directional		
Light source cap-type (or other electric interface)	GU5.3	Mains or non-mains	Non-mains		
Connected light source (CLS) - Yes/No	NO	Colour-tuneable light source - Yes/ No	NO		
Envelope	NO	High luminance light source - Yes/ No	NO		
Anti-glare shield - Yes/ No	NO	Dimmable	Non- Dimmable		
Product parameters					
Parameter	Value	Parameter	Value		
General product parameters					
Energy consumption in on- mode (kWh/1 000 h), rounded up to the nearest integer	4 kWh/1000h	Energy efficiency class	E		
Useful luminous flux (Im) (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	345lm in a narrow cone	Beam angle correspondence	36°		
Correlated colour temperature type	Warm white	Correlated colour temperature, rounded to the nearest 100K,or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2700K		
On-mode power (Pon), expressed in W	3.1W	Standby power (Psb), expressed in W and rounded to the second	N/A		

		decimal	
Networked standby power	N/A	Colour rendering index, rounded	80
(Pnet) for CLS, expressed in		to the nearest integer, or the	
W and rounded to the		range of CRI-values that can be	
second decimal		set	
Colour rendering index	80	Colour rendering index range	90
range (Minimum)		(Maximum)	
Outer dimensions (Height)	45	Outer dimensions (Width)	50
(millimetre)		(millimetre)	
Outer dimensions (Depth)	50	Spectral power distribution in	Please c
(millimetre)		the range 250 nm to 800 nm, at	the pictu
		full-load	the last.
Claim of equivalent power	Yes	If yes, equivalent power (W)	35W
Chromaticity coordinate (x)	0.458	Chromaticity coordinate (y)	0.410
Peak luminous intensity	790	Beam angle in degrees, or the	36
(cd)		range of beam angles that can be	
		set	
Parameters for LED and OLED	light sources		
R9 colour rendering index	0	Survival factor	90%
value			
The lumen maintenance	0.96	Displacement factor (cos φ1)	N/A
factor			
Colour consistency in	6	Claims that an LED light source	N/A
McAdam ellipses		replaces a fluorescent light	
		source without integrated	
		ballast of a particular wattage	
If yes then replacement	N/A	Flicker metric (Pst LM)	1
claim (W)			
Stroboscopic effect metric	0.9		

