
| | 1 | 2 | 3 | | 4 |
|------------------|--------------------------------------|---|---|----------|--------|
| | | | I | 重要度 | [B] |
| А | | | | | A |
| В | | | 技术要求 封面:黑白印刷 方面:黑不的刷; 前面:黑不能有, 方一口页大写字高需大于 新一口页大字症印刷缺陷; 初面印刷; | - 3 m m | В |
| С | | 3.页面印刷: 4.成型方式:: 5.成品尺寸公差, 尺寸公差, 尺寸量生产前 | 骑马钉; A5(140X210) 3B/T 1804-c; 须送样确认。 | | С |
| D | | | | | D |
| | | | | | Е |
| | | | 封面: 80g双胶 内页: 80g双胶 | 广东奥马冰箱; | 有限公司 |
| 借(通)用件登记 出图审查 | 标志 <u>处数</u> 更改 3 设计 | 文件号 签 名 日 期 会签 | 重量比例 | | |
| 日期 | 制图 黄英女 审核 梁嘉求 工艺 | 亭 标准化 刘金利 | 共1张 第1张 视角符号 € | CKBSH— F | 10 3 F |
| | 1 | 2 | 3 | · | 4 |



Instruction Manual

BE60185FFW BE60185FFB BE60185FFS



You'll soon be enjoying your new refrigerator.

It all begins here, with your instructions.Don't worry, there's nothing too technical coming up.Just simple, step-by-step guidance to get you up and running quickly.Sound good?Then let's get started

Help and Guidance

We're here to help you get the most from your refrigerator. Should you require any guidance, a simple solution can often be found online at.

www.bush-support.com

If you still require further assistance, call one of our experts on 0345 257 7271.

Issue 1, 22/06/2021

Contents

1Safety information

Safety information

6

13

14

2 Getting to know

your refrigerator Ready?Let'sbegin...

Parts

6 Product support

| TroubleShooting | 31 |
|---------------------|----|
| Help and assistance | 32 |
| Guarantee | 33 |
| Spare supply | 34 |

3Installing your

refrigerator

| Transportation | 17 |
|-----------------------|----|
| Installation | 17 |
| Door Reverse | 18 |
| Electrical Connection | 19 |


4Using your

refrigerator

| Before first use | 22 |
|------------------------------------|----|
| Using your appliance | 22 |
| Useful information | 23 |
| Food storage advice | 24 |
| Energy saving tips & defrosting | 25 |
| Temperature setting recommendation | 26 |

5 Care and Maintenance

| 27 |
|----|
| 27 |
| 27 |
| 27 |
| 28 |
| |



Important-Please read these instructions fully

before installing or operating

Before use

The installation of this appliance is best carried out by 2 people.

- Dispose of all packaging carefully and responsibly.
- The appliance is designed for <u>indoor</u> <u>use only</u> and must be protected from rain, moisture and extreme temperature variations.
- This appliance is designed for house hold use. **Do not** use the appliance for industrial and commercial use, or any other purpose.
- The appliance MUST be positioned on a firm level base.
- Do not splash water on the appliance. It may cause electrical parts to fail and result in an electric shock.
- Leave the appliance in

its intended place of installation and in its correct orientation for at least 4 hours before switching on to allow the cooling system to settle before first use or after any transportation.

 Your appliance is an environmental friendly product and it contains non CFC/HFC gas substances in the cooling system (Called R600a) and in the insulation (Called cyclopentane) which potentially are flammable if exposed to fire. Therefore, take care not to damage, the cooling circuit/pipes of the appliance in transportation and in use. In case of damage do not expose the appliance to fire,

Important-Please read these instructions fully before installing or operating

potential ignition source and immediately ventilate the room where the appliance is situated.

- Do not sit, stand or place any other heavy objects on top of the appliance. This could result in injury or damage to the appliance.
- Do not allow children to play with the appliance to avoid the risk of entrapment and suffocation.
- Keep ventilation opening, in the appliance enclosure or in the built-in structure, clear of obstruction. During use
- This appliance is not intended for use by persons (including

children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety. Children should be supervised to ensure that they do not play with the appliance. This appliance is not intended for use by young children or infirm persons unless they have been adequately supervised by a responsible person to ensure that they can use the appliance safely. Young children should be supervised to ensure that they do not play with the appliance.

• Do not use mechanical,

7

Important-Please read these instructions fully before installing or operating

electrical or chemical way to speed up the defrost process not recommended by the manufacturer.

- Do not use or place other electrical products inside the appliance not recommended by the manufacturer.
- Do not store liquids in glass containers in the freezer compartment as these may shatter.
- Do not store flammable materials such as alcohol, gasoline, LP gas or glue etc in the appliance.
- In case there is an inflammable gas leaking, open the window for air circulation and do not pull out the plug or

turn the temperature knob. **Do not** touch the appliance until the valve of gas is turned off. Otherwise, sparks may happen.

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- **Do not** attempt to repair the appliance yourself. Contact the Customer Helpline:0345 257 7271.

Important-Please read these instructions fully before installing or operating

- Children aged from 3 to 8 years are allowed to load and unload this appliance.
- MARNING! When positioning the appliance, ensure the supply cord is not trapped or damaged.
- WARNING! Do not locate multiple portable socketoutlets or portable power suppliers at the rear of the appliance.

To avoid contamination of food, please respect the following instructions

- Opening the door for long periods can cause a significant increase of the temperature in the compartments of the appliance.
- Clean regularly surfaces that can come in contact with food and accessible drainage systems.
- Clean water tanks if they have not been used for 48h; flush the water system connected to a water supply if water has not been drawn for 5 days.
- Store raw meat and fish in suitable containers in the refrigerator, so that it is not in contact with or drip onto other food.
- Two-star frozen-food compartments(if they are presented in the appliance) are suitable for storing prefrozen food, storing or making ice-cream and making ice cubes.

Important-Please read these instructions fully before installing or operating


One-, two- and three -star compartments (if they are presented in the appliance) are not suitable for the freezing of fresh food.

- If the appliance is left empty for long periods, switch off, defrost, clean, dry and leave the door open to prevent mount developing within the appliance.
- The refrigerating appliance is not intended to be used as a built-in appliance, unless specifically shown as such into its instruction manual.
- The drawers, baskets and shelves should be kept in their current position unless otherwise specified in this document.

WARNING! During using, service and disposal the appliance, please pay attention to symbol similar as left side, which is located on rear of appliance (rear panel or compressor) and with yellow or orange color.

It's risk of fire warning symbol. There are flammable materials in refrigerant pipes and compressor. Please be far away fire source during using, service and disposal.

Getting to know your refrigerator



Getting to know your refrigerator

You'll be up and running in no time

Ready?Let's begin...


Please read these instructions carefully. They contain important information which will help you get the best from your refrigerator and ensure safe and correct installation and operation

If you require any further assistance, our technical experts are happy to help. For full details, refer to the product support section at the end of these instructions.

Getting to know your refrigerator


You'll be up and running in no time

Parts




Thermostatand light
 Temperature Control Knob
 Fridge shelves
 Crisper

5.Freezer Drawers 6.Leveling Feet 7.Fridge Balconies



Installing your refrigerator **3**



Installing your refrigerator Bringing it all together


Transportation

Caution: 2 people are required to unpack and handle the appliance, it is recommended that gloves are worn.

- •The appliance should be transported only in an upright position. Do not tilt the appliance greater than 45 degrees . The packaging as supplied must be intact during transportation.
- •After transporting the appliance, leave it forat least 4 hours before switching on to allow the cooling system to settle. Failure to comply could result in damage to the appliance.
- Do not move the appliance by pulling the door or handle as it may damage your flooring and wall coverings etc.
- Empty any water in the drain tray before moving.
- Make sure that the defrost water pipe at the back of the product is fixed to the plastic evaporating pan on the top of the compressor, to avoid defrost water spillage on the on the floor.
- •Ensure the supplycable is not caught under the appliance during and after moving.
- •Carefully remove all packaging materials including the foam base, dispose of correctly

Installation

•Ensure sufficient spacing is provided for the appliance to be installed. Leave space on both sides (15cm), back (20cm) and above the appliance (30cm) to ensure proper ventilation.



- •Do not place the appliance neara heat source or in direct sunlight.
- Do not put any heavy objects on top of the appliance. It will damage the appliance.

•Do not install the appliance in a moist and wet place.



- •Adjust the feet at front to level the appliance. It should be installed on a smooth surface to avoid excessive vibration and noise.
- •Each appliance has a climate class (shown on the rating plate) where it indicates the temperature range of the appliance operation inplace. The appliance may notwork properly if it is leftfor a long period at a temperature outside the specified range :

extended temperate: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 10 °C to 32 °C (from 50°F to 90°F)'; temperate: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from

16 °C to 32 °C (from 61°F to 90°F)'; subtropical: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 16 °C to 38 °C (from 61°F to 100°F)'; tropical: 'this refrigerating appliance is intended to be used at ambient temperatures ranging from 16 °C to 43 °C (from 61°F to 110°F)'

•Refer to section "Care and Maintenance" to prepare your appliance for use.

Installing your refrigerator

Bringing it all together

Door Reverse

Warning: Remove the main plug before reversing the door. 2 people mav be

required to reverse the door. The refrigerator has the capability of opening the door from either the left or the rightside. The unitis delivered to you with the door opening from the left side. To change the opening direction. please follow these instructions.Note: Before reversing the doorswing, unplug the appliance from the mains or disconnect the electrical power supply.

1.Unscrew and remove the hingecover. 2.Unscrew and remove the hinge.

3.Unscrew middle hinge.Then lift lowerdoor and place it on a soft pad to avoid scratching. 4. Move the hinge hole covers from left side to right side.

5. Unscrew bottom hinge. Then remove the adjustable feet from both sides.

6. Unscrew and remove the bottom hinge pin, turn the bracket over and replace it.

7.Refit the bracket fitting the bottom hinge pin.Replace both adjustable feet.Transfer the lower door onto the lower hinge pin. 8. Remove the original aid-closers from the upper and lower door, then install the aid-closers from

the manual bag. 9. Make the middle hinge reverse the direction

180C, then transfer it to the left property position. Make the middle hinge pin in the upper hole of the lower door, then tight the bolts.


10.Place the upperdoor back on. Ensure the door is aligned horizontally and vertically so that the seal are closed on allsides before finally tightening the top hinge. Then insert the hinge and screw it to the front of the unit.

11. Unscrew the hinge pin and reverse the hinge, then reinstall the hingepin.

12.Prise the hinge hole cover.

13.Fix the hinge on the left.

14. Fix the hinge cover on the left and the hinge hole cover on the right (the hinge hole cover is placed in the manual bag).




(13)

(14)

(15)

Levelling the appliance

1.Rotate feet clock wise to heighten. 2.Rotate feet anti clockwise to lower.



Installing your refrigerator

Bringing it all together

Electrical connection



Warning: THIS APPLIANCEMUST BE EARTHED

Before making any electrical connections, ensure that:

- •Electrical safety is only guaranteed when the earth system of your house is in accordance with the related local regulations.
- •Do not damage the refrigerant circuit.
- Do not bend, stretch or pull the supply cable to avoid electric shock.
- •Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- •Ensure the powersocket is suitable for the maximum power of the machine (fuses in the power circuit must be 13 amp).
- •The supply voltage should be the same as that indicated in the technical specifications and the appliance rating plate.
- •The appliance should be earthed and in compliance with the applicable law.
- •When installed, the power socket must be within easy reach.
- If the socket outlets inyour home arenot suitable for the plugsupplied with this unit check with a qualified electrician for replacement.
- •The use of adapters, multiple connectors or extension cables are not recommended.
- •The appliance must be connected to a 220-240 volt 50Hz ACsupply by means of a threepin socket, suitably earthed and protected by a 13 amp fuse.
- •Should the fuse need to be replaced, a 13 amp fuse approved to BS1362 must be used.
- •The plug contains a removable fuse cover that must be refitted when the fuse is replaced. If the fuse cover islost or damaged, the plug must not be used until a replacement cover has been fitted or the plug is replaced.
- •A damaged plugshould be cut off as close to the plug body as possible, the fuse should be removed and the plug disposed of safely.

Plug replacement (UK& Ireland only)

Should you need to replace the plug; the wires in the powercable are coloured in the following way:

Blue Neutral 'N'

, Brown Live 'L'

Green & Yellow Earth 'E'


As the colours of the wires in the power cable may not correspond with the coloured markings identifying the terminals in your plug, and proceed as follows:

The green & yellow wire must be connected to the terminal in the plug that is marked with the letter E or by the earth symbol.


The blue wire must be connected to the terminal that is marked with the letter N.

The brown wire must beconnected to the terminal that is marked with the letter L.

If the powersupply cord isdamaged, it mustbe replaced by themanufacturer or its service agent or asimilar qualified personin order to avoid a hazard.



Using your refrigerator 4



Using your refrigerator

Getting the most from your appliance

Before first use

Final checks before operating the appliance

- 1.Good air circulation around the appliance in position.
- 2. The feet have been adjusted for perfect levelling.
- 3. Clean the compartment per recommendation in section "Care and Maintenance".
- 4. Plug in the appliance

The compressor starts up and in operation may produce some background noise position for storing fresh food. this is normal, this is not a defect.


Using your appliance

1. Temperature adjustment

. The fridge compartment temperature can be set by the thermostat knob between "COLD" and "COLDEST" (coldest setting), while the "OFF" means turn off. We recommend setting the thermostat at "COLDER" first.

- To ensure the compartment is maintained at the desired temperature, it is advised to monitor the temperature periodically by a thermometer and adjust the thermostat accordingly.
- Load the appliance after switch on for a while to allow the temperature to reach the desired setting.
- The freezer compartment temperature can be set by the sliding bar behind the salad drawer. Move the bar towards 💥 , the freezer compartment will get warmer, while moving the bar towards 💥 , the compartment will become colder. We recommend positioning the bar at the middleway for normal use.
- The get lowest temperature in the freezer compartment, set the knob at "COLDEST" and the •Place the fresh food to be frozen in the bottom bar at 💥 .

FREEZER CONTROL



2. Storing fresh food

- .Use the fridge compartment to store fresh food and drinks.
- Do not exceed the food capacity that the appliance is able to handle.
- . Do not put warm food in the appliance immediately as it may cause excessive cooling of the compartment.

Set the temperature knob at medium

. Do not mix already frozen food and fresh food.

3. Storing frozen food

- The freezer compartment is ^{™™} 4 Starrated and suitable for the freezing and storage of pre-frozenfood.
- .Check the food packaging for ^{™CD} suggestion before storage.
- When first starting-up or after a period out of use, before putting the product in the compartment, let the appliance run at least 2 hours at the higher settings.

Important! In the event of accidental defrosting, for example, the power has been off for longer than the " rising time" in the technical characteristics chart, the defrosted food must be consumed as soon as possible or cooked immediately and then re-frozen (after cooked).

Freezing fresh food

- •The freezer compartment is suitable for freezing fresh food and storing frozen and deep-frozen food for a long time.
- compartment.
- The maximum amount of food that can be frozen in 24 hours is specified on the rating plate.
- The freezing process lasts for 24 hours: during this period, do not add other food to be frozen.

Useful information

The following guidelines and recommendations are suggested to obtain the best results and storage hygiene.

•To stop any excess rise in temperatures the door should be closed as soon as possible.

•For hygiene reasons, it is always a good practise to pack, wrap and cover the food before storing.

•Usea polythene bag to store raw meat and place on the lowestshelf. Avoid contact with cooked food to prevent contamination. For safety reason, store raw meat for two to three days only.

- Cooked dishes must be stored in airtightcovered containers.
- •Food should cool to room temperature.
- •Most vegetables should be blanched and chilled before freezing.
- .Bottles can be placed in the door section.
- •Some fruits and vegetables like pineapples, melons, tomatoes, and cucumbers should be wrapped in polythene bags.
- Do not leavefrozen foodat room temperature to thaw. You could defrost the food by putting it in the fridge to thaw slowly. Avoid dropping food juices of the defrosted food on to other food.
- The maximum quantity of food which can be frozen in 24 hrs. is shown on the rating plate.
- The freezing process takes 24 hours. No further food to be frozen should be added during this period.
- •Only freeze top quality, fresh and thoroughly cleaned, foodstuffs.
- Prepare food in small portions to enable it to be rapidly and completely frozen. It also ensure that only the necessary quantity of food is thawed at each time.
- Separate fresh or unfrozen food from the frozen food, thus avoiding a rise in temperature of the latter.
- Lean foods can be stored better and longer than fatty ones; salt reduces the storage time of food.
- Ices, if consumed immediately after getting from the freezer compartment, can possibly leave ice burn on the skin.

- It is advisable to write the first storage date on each individual pack of the food to enable you to keep record of the storage time.
- Make sure that the commercially frozen foodstuffs were properly stored by the retailer.
- Make sure that frozen foodstuffs are transferred from the food store to the freezer in the shortest possible time.
- Once defrosted, food deteriorates rapidly and cannot be refrozen.
- Do not exceed the storage period indicated by the food manufacture.
- Do not store warm food or evaporating liquids in the refrigerator.
- Do cover or wrap the food, particularly if it has a strong flavour.

Position different food in different compartments according to be below table

| Refrigerator compartments | Type of food |
|---|--|
| Door or balconies of fridge compartment | Foods with natural preservatives, such as jams, juices, drinks, condiments. |
| | Do not store perishable foods. |
| Crisper drawer (salad drawer) | Fruits, herbs and vegetables should be placed separately in the crisper bin. |
| | Do not store bananas, onions, potatoes, garlic in the refrigerator. |
| Fridge shelf – middle | Dairy products, eggs |
| Fridge shelf – top | Foods that do not need cooking, such as ready-to-eat foods, deli meats, leftovers. |
| Freezer drawer(s)/shelf | Foods for long-term storage. |
| | Bottom drawer/shelf for raw meat, poultry, fish. |
| | Middle drawer/shelf for frozen vegetables, chips. |
| | Top drawer/shelf for ice cream, frozen fruit, frozen baked goods. |

Energy saving tips

- •Place your fridge away from direct sunlight, your oven orany other heatsources. Allow 20 cm clear space on both sides and above, and at least5 cm behind.
- •Cover all food stored, and arrange itso that cold air can circulate freely.
- •Higher cold setting will use more energy. Donot set to maximum cold if it is not necessary.
- •Cool the hot/warmfood to room temperature before put them into your fridge.
- •Frequently opening and closing the door will cause the internal temperature to rise and it will consume more energy.
- Close the door(s) properly, and make sure the seals and hinges are airtight. Check the seals by putting a sheet of paper between the door and the main body of the fridge. If the paper moves, your seals need replacing.
- Defrost regularly if your refrigerator is not a frost-free or cyclic defrost model. Accumulated ice layershould not be more than 5 mm thick.
- •The pre-set combination of drawers, baskets and shelves have already been set in the most efficient way for the use of this product.

Defrosting

Fridge Compartment

•The fridge compartment defrosts automatically.


Freezer Compartment

.The freezer compartment defrost automatically

Never insert any object through the holes for circulation. Do not cover thehole with any material which may obstruct air circulation.



Temperature setting recommendation



Impact on Food Storage


To avoid food waste, please refer to the recommended setting and storage times.

- Under Recommended setting, the best storage time of fridge is no more than 3 days.
- Under Recommended setting, the best storage time of freezer is no more than 1 month.
- · The best storage time may reduce under other settings.

Tips for Storing Foodstuffs

- The quantity of fresh food that can be kept frozen in a specific time period is indicated on the rating plate.
- Load limits are determined by baskets, flaps, drawers, shelves etc. Make sure that these components can still close easily after loading.
- For energy saving, the state and coldest set only apply to special need (such as quick-freezing or ice making) ,and need turn back after special need.

Care and Maintenance 5



Care and maintenance

Looking after your appliance General

Important: Always unplug the appliance from the powersocket during cleaning and maintenance.

- •Never use any sharp instrumentsor abrasive substances, soap, household cleaner, detergent or wax polish for cleaning.
- •Use luke warm water to clean the cabinet of the appliance and wipe it dry.
- •Never clean the appliance with flammable fluids. It could cause damage and a fire hazard.
- •Clean the exterior of the appliance and door seal with a damp cloth and dry it through.
- •Avoid watergoing into the temperature control box.. Clean with a dry cloth only.
- •Clean the condenser (located at the back of the appliance) with a vacuum cleaner. It is suggested to remove the dust every year.
- •Shelves are all removable for cleaning purpose.

Important: Care must betaken while cleaning/carrying the appliance not to touch the bottom of the condenser metal wires at the back of the appliance, as this could cause injury to fingers and hands.

Light bulb replacement

This appliance is equipped with LED light bulb. It can be used for long time. In case, the LED bulb is blown, it must be replaced by the qualified person to avoid any hazard.Contact the service agent at 0345 2577271.

Power failure

In case there is a powerfailure, you should take the following actions:

If it lastsless than 24 hours, keep the doors closed. This will allow the stored food tostay cold as longas possible. If it lasts more than 24 hours, it is advised to empty the freezer compartment and temporarily store the food in a portable freezer or using artificial ice packs. Try tostay cold for as long as possible. Remarks: Full appliance will stay cold longer than a partially filled one. If ice crystals are still visible on the food, it may be frozen again, although flavour and aroma may be affected. If food is found to be in a poor condition, it is best to throw it away.

Short vacation

There is noneed to disconnect the appliance from the mains if you will be away for two to three weeks. Use up the perishable food.

Long vacation

Remove all the food if youare away for three weeks or more. Unplug the appliance and leave the doors opento provide air circulation to prevent odour and mould.

Moving your appliance Moving

Refer to section "Transportation" under "Installation"

Care and maintenance Looking after your appliance

Technical Specifications

| Model | BE60185FFW/BE60185FFB/BE60185FFS |
|--|----------------------------------|
| Energy efficiency class | F |
| Energy consumption Kwh/year | 291 |
| Net storage volume fresh food (litres) | 210 |
| Net storage volume frozenfood (litres) | 83 |
| Totalnet storage (litres) | 293 |
| Frozen foodcompartment rating | 4star ⊮ œ |
| Climate class | N,ST |
| Operating noise level dB(A) | 40 |
| Minimum Operation Temperature | 16°C |
| Product Dimension | 600mmx600mmx1858mm |

The model information can be retrieved using the QR-Code reported in the energy label.

The label also includes the model identifier that can be used to consult the portal of the registry at https://eprel.ec.europa.eu

This product contains a light source of energy efficiency class G (if present).

Disposal information




The symbol on the product or its packaging indicates that this product may not be treated as household waste . Instead it should be handed over to the applicable collection point for the recycling of electrical and electronic equipment , By ensuring this product is disposed of correctly, you will help prevent potential negative consequences for the environment and human health , which could otherwise be caused by inappropriate waste handling of this product . For more detailed information about recycling this product , please contact your local council office , your household waste disposal service or the shop where the product was purchased .

Remember : Old fridges must be disposed of carefully - older models contain CFC gases that are harmful - if in doubt , contact your local council for details on how to dispose of an old fridge .

Doors and lids of the refrigeration appliance should be removed before disposal in the landfill, to avoid children or animals getting trapped inside.





Product support

Help is always at hand

Troubleshooting

If you have a problem with your product, these questions may beable to assistyou?

Question- Appliance does not work.

Answer Appliance is notswitched on -Switch on theappliance. Mains plug isnot plugged in or is loose.-Insert mains plug. Fuse has blown or is defective - Checkfuse, replace ifnecessary. Socket is defective - Mains malfunctions are to be corrected by an electrician.

Question - Appliance cools too much.

Answer Temperature is too cold - Adjust the thermostat dial to a warmer setting.

Question - The food is too warm.

Answer

Temperature is not properly adjusted - Adjust the thermostat to a cooler setting. Door was open for an extended period - Open the door only as long as necessary. A large quantity of warmfood was placed in the appliance - Adjust the thermostat to a coolersetting. Cool warmfood before placing in the refrigerator. The appliance is near a heat source - Position the refrigerator away from a heat source.

Question-Interior light does not work.

Answer If the LED light is broken, please contact qualified technician.

Question-Heavy build up of frost, possibly also on the door seal.

Answer

Door seal is not air tight- Carefully warm the leaking sections of the door seal with a hair dryer(not hotter than approx 50 degree). At the same time shape the warmed door seal by hand such that it sits correctly.

Question - Water on the floor or onstorage shelves.

Answer

Water drainhole is blocked - Removefood residue or ice from the entrance of the drain hole.

Question - Appliance is making unusual noises

Answers

Appliance is not level - Readjust the front levelling feet.

Appliance is in contact with wall or other objects. - Push appliance awaya short distance A part at the back of the appliance ega tube, is in contact with another appliance part or wall - - Gently bend this part away carefully if necessary

Product support

Help is always at hand

Help and assiance

If you require any technical guidance or find that yourrefrigerator is not operating as intended, a simple solution can often be found in the **Troubleshooting** section of these instruction or onlineat **www.bush-support.com**

If you still require further assistance, call one of our experts on **0345 257 7271**. To help give us give you a fast and efficient service please have the following information ready.

| Model Ref. | You can find these on the rating plate-a small |
|------------------|--|
| Serial number | information panel(usually a stickeror metal plate)on the rear ofyour appliance |
| Date of purchase | This will beshown on your receipt |

Local call rates applies*

Line open 8am-7pm Monday to Saturday and 10am-4pm Sunday

*Calls to Bushenquiry lines mayattract a charge and setup fee from residential lines depending on your callplan/tariff. Mobile and other providers costs may vary, see www.bt.com/pricing for details

For security and training purpose, telephone calls to and from customer service centres maybe recorded and monitored. Call from Republic of Ireland will attract international call charges.

C E RR

This appliance complies with the following EEC directives: 2014/35/EEC Low voltage directive 2014/30/EU EMC directive

Product support

Help is always at hand

B<u>US</u>H

Call us now and activate your 12 month guarantee

Thank you for choosing Bush. Your new product is guaranteed against faults and breakdowns for 12 months.Don't forgetto registerit with us today so we can provide you with our best possible after-sale service and useful updates.

www.bushregistration.co.uk

FREEPHONE*

0800 597 8548

Lines are open8am-8pm,365 days ayear.*Callmay be recorded and monitored.

Your Bush Guarantee

This product isguaranteed for twelve months from the date of original purchase. Any defect that arises due to faulty materials or workmanship will be repaired free of charge (orif applicable the product will be replaced or the purchase price refunded) where possible during this period by the dealer from who your purchased unit.

The guarantee is subject to the following provisions:

- The guarantee does not cover accidental damage, misuse cabinet parts, knobs or consumable items.
- The product must be correctly installed and operated in accordance with the instructions contained in the manual
- It must be used solely for domestic purposes. The guarantee will be rendered invalid if the product is

re-sold or hasbeen damaged by inexpert repair.

- Specifications are subject to change without notice.
- Bush disclaim any liability for loss or damage arising from the breakdown of the product
- This guarantee is in addition to and does not diminish your statutory or legalrights

Important Data Protection Information

To find out how we and Domestic & General Insurance Plc use your data please refer to the guarantee registration material orvisit www.bushregistrations.co.uk

Product support Help is always at hand

Spare Parts Supply

To order spare parts, please contact our customer helpline: 0345 257 7271. The original spare parts for some specific components are available for a minimum of 7 or 10 years, based on the type of component, from the placing on the market of the last unit of the model.



